Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
P. Chambon
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
C. C. Richardson
P. M. B. Walker
K. Weber
S. M. Weissman

VOLUME 127
5 January to 5 February 1979

ACADEMIC PRESS
London New York San Francisco

QH3.01

Copyright © 1979, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 127

Number 1, 5 January 1979

Terzaghi, B. E., Terzaghi, E. and Coombs, D., The Role of the Collar/Whisker Complex in Bacteriophage T4D Tail Fiber Attachment . . . 1

Wood, W. B. and Conley, M. P., Attachment of Tail Fibers in Bacteriophage T4 Assembly: Role of the Phage Whiskers 15

Morgan, R. S., Miller, S. L. and McAdon, J. M., The Symmetry of Self-complementary Surfaces 31

Appendix: Kocher, F. T., Jr, Two Theorems in Solid Geometry . . 39

Suryanarayana, T. and Subramanian, A. R., Functional domains of *Escherichia coli* Ribosomal Protein S1. Formation and Characterization of a Fragment with Ribosome-binding Properties 41

Sonenshein, A. L. and Alexander, H. B., Initiation of Transcription *in Vitro* is Inhibited by Lipiarmycin 55

Capage, M. and Hill, C. W., Preferential Unequal Recombination in the *glyS* Region of the *Escherichia coli* Chromosome 73

Kleckner, N., Reichardt, K. and Botstein, D., Inversions and Deletions of the *Salmonella* Chromosome Generated by the Translocatable Tetracycline Resistance Element Tn10 89

Waters, R., Repair of DNA in Replicated and Unreplicated Portions of the Human Genome 117

Letters to the Editor

Fraser, R. D. B. and MacRae, T. P., The Crystalline Structure of Collagen Fibrils in Tendon 129

Aschaffenburg, R., Fenna, R. E., Phillips, D. C., Smith, S. G., Buss, D. H., Jenness, R. and Thompson, M. P., Crystallography of α-Lactalbumin III. Crystals of Baboon Milk α-Lactalbumin . . . 135

Announcement 139

Number 2, 15 January 1979

Popp, R. A., Stratton, L. P., Hawley, D. K. and Effron, K., Hemoglobin of Mice with Radiation-induced Mutations at the Hemoglobin Loci . 141

Ploegman, J. H., Drent, G., Kalk, K. H. and Hol, W. G. J., The Structure of Bovine Liver Rhodanese II. The Active Site in the Sulfur-substituted and the Sulfur-free Enzyme 149

Shen, C. J., Ikoku, A. and Hearst, J. E., A Specific DNA Orientation in the Filamentous Bacteriophage fd as Probed by Psoralen Crosslinking and Electron Microscopy 163

Takeda, Y., Specific Repression of *in Vitro* Transcription by the Cro Repressor of Bacteriophage Lambda 177

Maeda, Y., Matsubara, I. and Yagi, N., Structural Changes in Thin Filaments of Crab Striated Muscle 191

Privalov, P. L., Tiktopulo, E. I. and Tischenko, V. M., Stability and Mobility of the Collagen Structure 203

Letters to the Editor

Knox, J. R., DeLucia, M. L., Murthy, N. S., Kelly, J. A., Moews, P. C., Frére, J-M. and Ghuysen, J-M., Crystallographic Data for a Penicillin Receptor: Exocellular dd-Carboxypeptidase-Transpeptidase from *Streptomyces* R61 217

Teeter, M. M. and Hendrickson, W. A., Highly Ordered Crystals of the Plant Seed Protein Crambin 219

Eriksson, B., Ersson, B., Kierkegaard, P., Larsson, L. O., Ludwig, M., Skoglund, U. and Yonetani, T., A Method for the Preparation of Heavy-atom Derivatives of Yeast Cytochrome *c* Peroxidase . . 225

Davidson, J. P. and Williams, L. S., Regulation of Isoleucine and Valine Biosynthesis in *Salmonella typhimurium*: The Effect of *hisU* on Repression Control 229

Mornon, J. P., Fridlansky, F., Bally, R. and Milgrom, E., Characterization of Two New Crystal Forms of Uteroglobin . . . 237

Yoo, C. S., Wang, B-C., Sax, M. and Breslow, E., Crystals of a Bovine Neurophysin II–Dipeptide Amide Complex 241

Number 3, 25 January 1979

Kenny, J. W. and Traut, R. R., Identification of Fifteen Neighboring Protein Pairs in the *Escherichia coli* 50 S Ribosomal Subunit Crosslinked with 2-Iminothiolane 243

McCarthy, D., Gyrase-dependent Initiation of Bacteriophage T4 DNA Replication: Interactions of *Escherichia coli* Gyrase with Novobiocin, Coumermycin and Phage DNA-delay Gene Products 265

Olson, M. V., Hall, B. D., Cameron, J. R. and Davis, R. W., Cloning of the Yeast Tyrosine Transfer RNA Genes in Bacteriophage Lambda . . 285

Nikolaev, N., Georgiev, O. I., Venkov, P. V. and Hadjiolov, A. A., The 37 S Precursor to Ribosomal RNA is the Primary Transcript of Ribosomal RNA Genes in *Saccharomyces cerevisiae*. 297

Steigemann, W. and Weber, E., Structure of Erythrocruorin in Different Ligand States Refined at 1·4 Å Resolution 309

Letters to the Editor

Pfahl, M., Gulde, V. and Bourgeois, S., "Second" and "Third Operator" of the *lac* Operon: An Investigation of Their Role in the Regulatory Mechanism 339

Gates, R. E., Shape and Accessible Surface Area of Globular Proteins . 345

Hausler, B. and Somerville, R. L., Interaction *in Vivo* Between Strong Closely Spaced Constitutive Promoters 353

Number 4, 5 February 1979

Bode, W., The Transition of Bovine Trypsinogen to a Trypsin-like State upon Strong Ligand Binding II. The Binding of the Pancreatic Trypsin Inhibitor and of Isoleucine-valine and of Sequentially Related Peptides to Trypsinogen and to *p*-Guanidinobenzoate-trypsinogen 357

Alix, J-H., Hayes, D. and Nierhaus, K. H., Properties of Ribosomes and RNA Synthesized by *Escherichia coli* Grown in the Presence of Ethionine V. Methylation Dependence of the Assembly of *E. coli* 50 S Ribosomal Subunits 375

Calame, K. L., Yamada, Y., Shanblatt, S. H. and Nakada, D., Location of Promoter Sites on Plasmid NTP1 which contains the Ampicillin Resistance Transposon Tn*1701* 397

Sogo, J. M., Inciarte, M. R., Corral, J., Vinuela, E. and Salas, M., RNA Polymerase Binding Sites and Transcription Map of the DNA of *Bacillus subtilis* Phage ϕ29 411

Deininger, P. L. and Schmid, C. W., A Study of the Evolution of Repeated DNA Sequences in Primates and the Existence of a New Class of Repetitive Sequences in Primates 437

Schuster, T. M., Scheele, R. B. and Khairallah, L. H., Mechanism of Self-assembly of Tobacco Mosaic Virus Protein I. Nucleation-controlled Kinetics of Polymerization 461

Shire, S. J., Steckert, J. J. and Schuster, T. M., Mechanism of Self-assembly of Tobacco Mosaic Virus Protein II. Characterization of the Metastable Polymerization Nucleus and the Initial Stages of Helix Formation . . 487

Letter to the Editor

Ghora, B. K. and Apirion, D., 5 S Ribosomal RNA is Contained within a 25 S Ribosomal RNA that Accumulates in Mutants of *Escherichia coli* Defective in Processing of Ribosomal RNA 507

Index to Volume 127

Alexander, H. B. (see also Sonenshein, A. L.), 55

Alix, J.-H., Hayes, D. & Nierhaus, K. H., Properties of ribosomes and RNA synthesized by *Escherichia coli* grown in the presence of ethionine V. Methylation dependence of the assembly of *E. coli* 50 S ribosomal subunits, 375

Ampicillin resistance transposon Tn*1701* in plasmid NTP1, location of promoter sites on the plasmid, 397

Apirion, D. (see also Ghora, B. K.), 507

Aschaffenburg, R., Fenna, R. E., Phillips, D. C., Smith, S. G., Buss, D. H., Jenness, R. & Thompson, M. P., Crystallography of α-lactalbumin III. Crystals of baboon milk α-lactalbumin, 135

Assembly (see also Self-assembly), 461, 487

— of bacteriophage T4, role of the phage whiskers in the attachment of tail fibers, 15

— — *Escherichia coli* 50 S ribosomal subunits, and its methylation dependence; properties of ribosomes and RNA synthesized by *Escherichia coli* grown in the presence of ethionine, 375

Baboon milk α-lactalbumin crystals, 135

Bacillus subtilis phage ϕ29 DNA, RNA polymerase binding sites and transcription map, 411

Bacteriophage lambda, cloning of yeast transfer RNA genes, 285

— — Cro repressor specifically represses *in vitro* transcription, 177

Bacteriophage fd, a specific DNA orientation revealed by psoralen crosslinking and electron microscopy, 163

— ϕ29 of *Bacillus subtilis*, RNA polymerase binding sites and transcription map of the DNA, 411

— — assembly, role of the phage whiskers in the attachment of tail fibers, 15

— —, gyrase-dependent initiation of DNA replication: interactions of *Escherichia coli* gyrase with novobiocin, coumermycin and phage DNA-delay gene products, 265

— T4D, the role of the collar/whisker complex in tail fiber attachment, 1

Bally, R. (see also Mornon, J. P.), 237

Binding of the pancreatic trypsin inhibitor and of isoleucine-valine and of sequentially related peptides to trypsinogen and to *p*-guanidinobenzoate-trypsinogen, 357

— sites, for RNA polymerase, and transcription map of the DNA of *Bacillus subtilis* phage ϕ29, 411

Bode, W., The transition of bovine trypsinogen to a trypsin-like state upon strong ligand binding II. The binding of the pancreatic trypsin inhibitor and of isoleucine-valine and of sequentially related peptides to trypsinogen and to *p*-guanidinobenzoate-trypsinogen, 357

Botstein, D. (see also Kleckner, N.), 89

Bourgeois, S. (see also Pfahl, M.), 339

Bovine liver rhodanese structure: the active site in the sulfur-substituted and the sulfur-free enzyme, 149

— neurophysin II-dipeptide amide complex, crystals, 241

— trypsinogen, transition to a trypsin-like state upon strong ligand binding. The binding of the pancreatic trypsin inhibitor and of isoleucine-valine and of sequentially related peptides to trypsinogen and to *p*-guanidinobenzoate-trypsinogen, 357

Breslow, E. (see also Yoo, C. S.), 241

Buss, D. H. (see also Aschaffenburg, R.), 135

Calame, K. L., Yamada, Y., Shanblatt, S. H. & Nakada, D., Location of promoter sites on plasmid NTP1 which contains the ampicillin resistance transposon Tn*1701*, 397

Cameron, J. R. (see also Olson, M. V.), 285

Capage, M. & Hill, C. W., Preferential unequal recombination in the *glyS* region of the *Escherichia coli* chromosome, 73

dd-Carboxypeptidase-transpeptidase, exocellular, from *Streptomyces* R61, crystallographic data, 217

Chromosome of *Escherichia coli*, preferential unequal recombination in the *glyS* region, 73

— of *Salmonella*, inversions and deletions generated by the translocatable tetracycline resistance element Tn10, 89

Cloning of the yeast tyrosine tRNA genes in bacteriophage lambda, 285

Collagen fibril crystalline structure in tendon, 129

Collagen structure, stability and mobility, 203
Collar/whisker complex, role in bacteriophage T4D tail fiber attachment, 1
Conley, M. P. (see also Wood, W. B.), 15
Coombs, D. (see also Terzaghi, B. E.), 1
Corral, J. (see also Sogo, J. M.), 411
Coumermycin, novobiocin and phage DNA-delay gene products, interactions with *Escherichia coli* gyrase; gyrase-dependent initiation of bacteriophage T4 DNA replication, 265
Crab striated muscle, structural changes in thin filaments, 191
Crambin crystals, highly ordered, 219
Cro repressor of bacteriophage lambda specifically represses *in vitro* transcription, 177
Crystal forms, new, of uteroglobin, 237
Crystalline structure of collagen fibrils in tendon, 129
Crystallographic data for a penicillin receptor: exocellular DD-carboxypeptidase-transpeptidase from *Streptomyces* R61, 217
— — a bovine neurophysin II-dipeptide amide complex, 241
Crystals of baboon milk α-lactalbumin, 135
Crystals, highly ordered, of the plant seed protein crambin, 219
Cytochrome *c* peroxidase of yeast, a method for the preparation of heavy-atom derivatives, 225

Davidson, J. P. & Williams, L. S., Regulation of isoleucine and valine biosynthesis in *Salmonella typhimurium:* the effect of *hisU* on repression control, 229
Davis, R. W. (see also Olson, M. V.), 285
Deininger, P. L. & Schmid, C. W., A study of the evolution of repeated DNA sequences in primates and the existence of a new class of repetitive sequences in primates, 437
Deletions and inversions of the *Salmonella* chromosome generated by the translocatable tetracyline resistance element Tn10, 89
Delucia, M. L. (see also Knox, J. R.), 217
DNA of *Bacillus subtilis* phage ϕ29, RNA polymerase binding sites and transcription map, 411
— — bacteriophage T4, gyrase-dependent initiation of replication: interactions of *Escherichia coli* gyrase with novobiocin, coumermycin and phage DNA-delay gene products, 265
— orientation, specific, in the filamentous bacteriophage fd as probed by psoralen crosslinking and electron microscopy, 163
— repair in replicated and unreplicated portions of the human genome, 117
— sequences, repeated, a study of their evolution in primates and the existence of a new class of repetitive sequences in primates, 437
Drent, G. (see also Ploegman, J. H.), 149

Effron, K. (see also Popp, R. A.), 141
Electron microscopy and psoralen crosslinking reveal a specific DNA orientation in the filamentous bacteriophage fd, 163
Eriksson, B., Ersson, B., Kierkegaard, P., Larsson, L. O., Ludwig, M., Skoglund, U. & Yonetani, T., A method for the preparation of heavy-atom derivatives of yeast cytochrome *c* peroxidase, 225
Ersson, B. (see also Eriksson, B.), 225
Erythrocruorin structure for different ligand states refined at 1.4 Å resolution, 309
Escherichia coli chromosome, preferential unequal recombination in the *glyS* region, 73
— — gyrase, interaction with novobiocin, coumermycin and phage DNA-delay gene products; gyrase-dependent initiation of bacteriophage T4 DNA replication, 265
— — mutants defective in processing of ribosomal RNA accumulate 25 S ribosomal RNA containing 5 S ribosomal RNA, 507
— — ribosomal protein S1, functional domains: formation and characterization of a fragment with ribosome-binding properties, 41
— — 50 S ribosomal subunit crosslinked with 2-iminothiolane, identification of fifteen neighbouring protein pairs, 243
— — — — — subunits, methylation dependence of their assembly; properties of ribosomes and RNA synthesized by *E. coli* grown in the presence of ethionine, 375
Ethionine and the properties of ribosomes and RNA synthesized by *Escherichia coli* grown in its presence; methylation dependence of the assembly of *E. coli* 50 S ribosomal subunits, 375
Evolution of repeated DNA sequences in primates and the existence of a new class of repetitive sequences in primates, 437
Exocellular DD-carboxypeptidase-transpeptidase from *Streptomyces* R61, crystallographic data, 217

fd (see also Bacteriophage), 163
Fenna, R. E. (see also Aschaffenburg, R.), 135
Fiber, tail, attachment in bacteriophage T4 assembly: role of the phage whiskers, 15
—, —, — for bacteriophage T4D, the role of the collar/whisker complex, 1
Fibrils of collagen in tendon: crystalline structure, 129
Filamentous bacteriophage fd, a specific DNA orientation revealed by psoralen crosslinking and electron microscopy, 163
Filaments, thin, of crab striated muscle: structural changes, 191
Fraser, R. D. B. & Macrae, T. P., The crystalline structure of collagen fibrils in tendon, 129
Frére, J-M. (see also Knox, J. R.), 217
Fridlansky, F. (see also Mornon, J. P.), 237
Functional domains of *Escherichia coli* ribosomal protein S1: formation and characterization of a fragment with ribosome-binding properties, 41

Gates, R. E., Shape and accessible surface area of globular proteins, 345
Genes, ribosomal RNA, the 37 S precursor to ribosomal RNA is the primary transcript in *Saccharomyces cerevisiae*, 297
— for yeast tyrosine tRNA, cloning in bacteriophage lambda, 285
Genome, human, repair of DNA in replicated and unreplicated portions, 117
Georgiev, O. I. (see also Nikolaev, N.), 297
Ghora, B. K. & Apirion, D., 5 S ribosomal RNA is contained within a 25 S ribosomal RNA that accumulates in mutants of *Escherichia coli* defective in processing of ribosomal RNA, 507
Ghuysen, J-M. (see also Knox, J. R.), 217
Globular proteins, shape and accessible surface area, 345
glyS region of the *Escherichia coli* chromosome; preferential unequal recombination, 73
p-Guanidinobenzoate-trypsinogen, and trypsinogen, and the binding of the pancreatic trypsin inhibitor and of isoleucine-valine and of sequentially related peptides, 357
Gulde, V. (see also Pfahl, M.), 339
Gyrase-dependent initiation of bacteriophage T4 DNA replication: interactions of *Escherichia coli* gyrase with novobiocin, coumermycin and phage DNA-delay gene products, 265

Hadjiolov, A. A. (see also Nikolaev, N.), 297
Hall, B. D. (see also Olson, M. V.), 285
Hausler, B. & Somerville, R. L., Interaction *in vivo* between strong closely spaced constitutive promoters, 353
Hawley, D. K. (see also Popp, R. A.), 141
Hayes, D. (see also Alix, J-H.), 375
Hearst, J. E. (see also Shen, C. J.), 163
Heavy-atom derivatives of yeast cytochrome *c* peroxidase, a method for their preparation, 225
Helix formation, initial stages, and the metastable polymerization nucleus; mechanism of self-assembly of tobacco mosaic virus protein, 487
Hemoglobin of mice with radiation-induced mutations at the hemoglobin loci, 141
Hendrickson, W. A. (see also Teeter, M. M.), 219
Hill, C. W. (see also Capage, M.), 73
hisU, effect on repression control; regulation of isoleucine and valine biosynthesis in *Salmonella typhimurium*, 229
Hol, W. G. J. (see also Ploegman, J. H.), 149
Human genome, repair of DNA in replicated and unreplicated portions, 117

Ikoku, A. (see also Shen, C. J.), 163
2-Iminothiolane crosslinked with *Escherichia coli* 50 S ribosomal subunit, identification of fifteen neighbouring protein pairs, 243
Inciarte, M. R. (see also Sogo, J. M.), 411
Inhibition by lipiarmycin of initiation of transcription *in vitro*, 55
—, gyrase-dependent, of bacteriophage T4 DNA replication: interactions of *Escherichia coli* gyrase with novobiocin, coumermycin and phage DNA-delay gene products, 265
— of transcription *in vitro* is inhibited by lipiarmycin, 55
Inversions and deletions of the *Salmonella* chromosome generated by the translocatable tetracycline resistance element Tn10, 89
Isoleucine and valine biosynthesis regulation in *Salmonella typhimurium:* the effect of *hisU* on repression control, 229
—-valine, pancreatic trypsin inhibitor, and sequentially related peptides, their binding to trypsinogen and to *p*-guanidinobenzoate-trypsinogen, 357

JENNESS, R. (see also ASCHAFFENBURG, R.), 135

KALK, K. H. (see also PLOEGMAN, J. H.), 149
KELLY, J. A. (see also KNOX, J. R.), 217
KENNY, J. W. & TRAUT, R. R., Identification of fifteen neighboring protein pairs in the *Escherichia coli* 50 S ribosomal subunit crosslinked with 2-iminothiolane, 243
KHAIRALLAH, L. H. (see also SCHUSTER, T. M.), 461
KIERKEGAARD, P. (see also ERIKSSON, B.), 225
KLECKNER, N., REICHARDT, K. & BOTSTEIN, D., Inversions and deletions of the *Salmonella* chromosome generated by the translocatable tetracycline resistance element Tn10, 89
KNOX, J. R., DELUCIA, M. L., MURTHY, N. S., KELLY, J. A., MOEWS, P. C., FRÉRE, J-M. & GHUYSEN, J-M., Crystallographic data for a penicillin receptor: exocellular DD-carboxypeptidase-transpeptidase from *Streptomyces* R61, 217
KOCHER, F. T., JR, Two theorems in solid geometry (*Appendix* to MORGAN, R. S. *et al.*, 31), 39

λ (see also Bacteriophage), 177, 285
lac operon, an investigation of the role of the "second" and "third operator" in the regulatory mechanism, 339
α-Lactalbumin of baboon milk, crystallography, 135
LARSSON, L. O. (see also ERIKSSON, B.), 225
Ligand binding and the transition of bovine trypsinogen to a trypsin-like state. The binding of the pancreatic trypsin inhibitor and of isoleucine-valine and of sequentially related peptides to trypsinogen and to *p*-guanidinobenzoate-trypsinogen, 357
Lipiarmycin inhibits initiation of transcription *in vitro*, 55
Liver, bovine, rhodanese structure: the active site in the sulfur-substituted and the sulfur-free enzyme, 149
LUDWIG, M. (see also ERIKSSON, B.), 225

MACRAE, T. P. (see also FRASER, R. D. B.), 129
MAEDA, Y., MATSUBARA, I. & YAGI, N., Structural changes in thin filaments of crab striated muscle, 191
MATSUBARA, I. (see also MAEDA, Y.), 191
MCADON, J. M. (see also MORGAN, R. S.), 31
MCCARTHY, D., Gyrase-dependent initiation of bacteriophage T4 DNA replication: interactions of *Escherichia coli* gyrase with novobiocin, coumermycin and phage DNA-delay gene products, 265
Methylation dependence of the assembly of *Escherichia coli* 50 S ribosomal subunits; properties of ribosomes and RNA synthesized by *E. coli* grown in the presence of ethionine, 375
Mice hemoglobin with radiation-induced mutations at the hemoglobin loci, 141
MILGROM, E. (see also MORNON, J. P.), 237
MILLER, S. L. (see also MORGAN, R. S.), 31
Mobility and stability of the collagen structure, 203
MOEWS, P. C. (see also KNOX, J. R.), 217
MORGAN, R. S., MILLER, S. L. & MCADON, J. M., The symmetry of self-complementary surfaces, 31
MORNON, J. P., FRIDLANSKY, F., BALLY, R. & MILGROM, E., Characterization of two new crystal forms of uteroglobin, 237
MURTHY, N. S. (see also KNOX, J. R.), 217
Muscle, striated, of crab, structural changes in thin filaments, 191
Mutants of *Escherichia coli* defective in processing of ribosomal RNA accumulate 25 S ribosomal RNA containing 5 S ribosomal RNA, 507
Mutations, radiation-induced, at the hemoglobin loci of mice, 141

NAKADA, D. (see also CALAME, K. L.), 397
Neurophysin II-dipeptide amide complex crystals, bovine, 241
NIERHAUS, K. H. (see also ALIX, J-H.), 375
NIKOLAEV, N., GEORGIEV, O. I., VENKOV, P. V. & HADJIOLOV, A. A., The 37 S precursor to ribosomal RNA is the primary transcript of ribosomal RNA genes in *Saccharomyces cerevisiae*, 297
Novobiocin, coumermycin and phage DNA-delay gene products, interactions with *Escherichia coli* gyrase; gyrase-dependent initiation of bacteriophage T4 DNA replication, 265
NTP1 plasmid which contains the ampicillin resistance transposon Tn*1701*, location of promoter sites, 397

Olson, M. V., Hall, B. D., Cameron, J. R. & Davis, R. W., Cloning of the yeast tyrosine transfer RNA genes in bacteriophage lambda, 285
Operon, *lac*, an investigation of the "second" and "third operator" role in the regulatory mechanism, 339
ϕ29 (see also Bacteriophage), 411

Pancreatic trypsin inhibitor, isoleucine-valine, and sequentially related peptides, their binding to trypsinogen and to *p*-guanidinobenzoate-trypsinogen, 357
Penicillin receptor: crystallographic data for exocellular DD-carboxypeptidase-transpeptidase from *Streptomyces* R61, 217
Pfahl, M., Gulde, V. & Bourgeois, S., "Second" and "third operator" of the *lac* operon: an investigation of their role in the regulatory mechanism, 339
Phillips, D. C. (see also Aschaffenburg, R.), 135
Plant seed protein crambin crystals, highly ordered, 219
Plasmid NTP1 which contains the ampicillin resistance transposon Tn*1701*, location of promoter sites, 397
Ploegman, J. H., Drent, G., Kalk, K. H. & Hol, W. G. J., The structure of bovine liver rhodanese II. The active site in the sulfur-substituted and the sulfur-free enzyme, 149
Polymerization of tobacco mosaic virus protein, characterization of the metastable nucleus and the initial stage of helix formation, 487
— — — — — —, nucleation-controlled kinetics, 461
Popp, R. A., Stratton, L. P., Hawley, D. K. & Effron, K., Hemoglobin of mice with radiation-induced mutations at the hemoglobin loci, 141
Precursor 37 S to ribosomal RNA is the primary transcript of ribosomal RNA genes in *Saccharomyces cerevisiae*, 297
Primates, a study of the evolution of repeated DNA sequences and the existence of a new class of repetitive sequences, 437
Privalov, P. L., Tiktopulo, E. I. & Tischenko, V. M., Stability and mobility of the collagen structure, 203
Promoter site, location on plasmid NTP1 which contains the ampicillin resistance transposon Tn*1701*, 397
Promoters, constitutive, closely spaced, strong, their interaction *in vivo*, 353
Protein pairs, neighbouring, identified in the *Escherichia coli* 50 S ribosomal subunit crosslinked with 2-iminothiolane, 243
—, plant seed, highly ordered crystals of crambin, 219
— S1 of *Escherichia coli*, formation and characterization of a fragment with ribosome-binding properties, 41
— of tobacco mosaic virus, mechanism of self-assembly: characterization of the metastable polymerization nucleus and the initial stages of helix formation, 487
— — tobacco mosaic virus, mechanism of self-assembly: nucleation-controlled kinetics of polymerization, 461
Proteins, globular, shape and accessible surface area, 345
Psoralen crosslinking and electron microscopy reveal a specific DNA orientation in the filamentous bacteriophage fd, 163

Radiation-induced mutations at the hemoglobin loci of mice, 141
Recombination, unequal, preferential, in the *glyS* region of the *Escherichia coli* chromosome, 73
Regulation of isoleucine and valine biosynthesis in *Salmonella typhimurium:* the effect of *hisU* on repression control, 229
Reichardt, K. (see also Kleckner, N.), 89
Repair of DNA in replicated and unreplicated portions of the human genome, 117
Replication of bacteriophage T4 DNA, gyrase-dependent initiation: interactions of *Escherichia coli* gyrase with novobiocin, coumermycin and phage DNA-delay gene products, 265
Repression control, effect of *hisU*; regulation of isoleucine and valine biosynthesis in *Salmonella typhimurium*, 229
Repression, specific, of *in vitro* transcription by the Cro repressor of bacteriophage lambda, 177
Rhodanese of bovine liver: the active site in the sulfur-substituted and the sulfur-free enzyme, 149
RNA polymerase binding sites and transcription map of the DNA of *Bacillus subtilis* phage ϕ29, 411
—, ribosomal, the 37 S precursor is the primary transcript of ribosomal RNA genes in *Saccharomyces cerevisiae*, 297
—, 5 S ribosomal, is contained within a 25 S ribosomal RNA that accumulates in mutants of *Escherichia coli* defective in processing of ribosomal RNA, 507

RNA and ribosomes synthesized by *Escherichia coli* grown in the presence of ethionine. Methylation dependence of the assembly of *E. coli* 50 S ribosomal subunits, 375
—, transfer, cloning of the yeast tyrosine tRNA genes in bacteriophage lambda, 285
Ribosomal RNA, the 37 S precursor is the primary transcript of ribosomal RNA genes in *Saccharomyces cerevisiae*, 297
— 5S RNA is contained within a 25 S ribosomal RNA that accumulates in mutants of *Escherichia coli* defective in processing of ribosomal RNA, 507
— 50 S subunit of *Escherichia coli*, crosslinked with 2-iminothiolane, identification of fifteen neighbouring protein pairs, 243
Ribosome-binding fragment of *Escherichia coli* ribosomal protein S1, 41
Ribosomes and RNA synthesized by *Escherichia coli* grown in the presence of ethionine. Methylation dependence of the assembly of *E. coli* 50 S ribosomal subunits, 375

Saccharomyces cerevisiae, the 37 S precursor to ribosomal RNA is the primary transcript of ribosomal RNA genes, 297
Salas, M. (see also Sogo, J. M.), 411
Salmonella chromosome, inversions and deletions generated by the translocatable tetracycline resistance element Tn10, 89
— *typhimurium*, regulation of isoleucine and valine biosynthesis: the effect of *hisU* on repression control, 229
Sax, M. (see also Yoo, C. S.), 241
Scheele, R. B. (see also Schuster, T. M.), 461
Schmid, C. W. (see also Deininger, P. L.), 437
Schuster, T. M., Scheele, R. B. & Khairallah, L. H., Mechanism of self-assembly of tobacco mosaic virus protein. I. Nucleation-controlled kinetics of polymerization, 461
Schuster, T. M. (see also Shire, S. J.), 487
Self-assembly mechanism of tobacco mosaic virus protein I. Nucleation-controlled kinetics of polymerization, 461
— — — — — — — — II. Characterization of the metastable polymerization nucleus and the initial stages of helix formation, 487
— -complementary surfaces and their symmetry, 31
Sequences of DNA, repeated, a study of their evolution in primates and the existence of a new class of repetitive sequences in primates, 437
Shanblatt, S. H. (see also Calame, K. L.), 397
Shen, C. J., Ikoku, A. & Hearst, J. E., A specific DNA orientation in the filamentous bacteriophage fd as probed by psoralen crosslinking and electron microscopy, 163
Shire, S. J., Steckert, J. J. & Schuster, T. M., Mechanism of self-assembly of tobacco mosaic virus protein II. Characterization of the metastable polymerization nucleus and the initial stages of helix formation, 487
Skoglund, U. (see also Eriksson, B.), 225
Smith, S. G. (see also Aschaffenburg, R.), 135
Sogo, J. M., Inciarte, M. R., Corral, J., Vinuela, E. & Salas, M., RNA polymerase binding sites and transcription map of the DNA of *Bacillus subtilis* phage ϕ29, 411
Solid geometry, two theorems, 39
Somerville, R. L. (see also Hausler, B.), 353
Sonenshein, A. L. & Alexander, H. B., Initiation of transcription *in vitro* is inhibited by lipiarmycin, 55
Stability and mobility of the collagen structure, 203
Steckert, J. J. (see also Shire, S. J.), 487
Steigemann, W. & Weber, E., Structure of erythrocruorin in different ligand states refined at 1·4 Å resolution, 309
Stratton, L. P. (see also Popp, R. A.), 141
Streptomyces R61 exocellular DD-carboxypeptidase-transpeptidase, crystallographic data, 217
Striated muscle of crab, structural changes in thin filaments, 191
Structural changes in thin filaments of crab striated muscle, 191
Structure, crystalline, of collagen fibrils in tendon, 129
Structure of bovine liver rhodanese: the active site in the sulfur-substituted and the sulfur-free enzyme, 149
— — collagen, stability and mobility, 203
— — erythrocruorin in different ligand states refined at 1·4 Å resolution, 309
Subramanian, A. R. (see also Suryanarayana, T.), 41
Sulfur-substituted and sulfur-free bovine liver rhodanese, the active site, 149
Surface area, accessible, and shape of globular proteins, 345

Suryanarayana, T. & Subramanian, A. R., Functional domains of *Escherichia coli* ribosomal protein S1. Formation and characterization of a fragment with ribosome-binding properties, 41
Symmetry of self-complementary surfaces, 31

T4 (see also Bacteriophage), 15, 265
T4D (see also Bacteriophage), 1
Tail fiber attachment in bacteriophage T4 assembly: role of the phage whiskers, 15
— — — for bacteriophage T4D, the role of the collar/whisker complex, 1
Takeda, Y., Specific repression of *in vitro* transcription by the Cro repressor of bacteriophage lambda, 177
Teeter, M. M. & Hendrickson, W. A., Highly ordered crystals of the plant seed protein crambin, 219
Tendon, crystalline structure of collagen fibrils, 129
Terzaghi, B. E., Terzaghi, E. & Coombs, D., The role of the collar/whisker complex in bacteriophage T4D tail fiber attachment, 1
Terzaghi, E. (see also Terzaghi, B. E.), 1
Tetracycline resistance element Tn10 and generation of inversions and deletions of the *Salmonella* chromosome, 89
Thompson, M. P. (see also Aschaffenburg, R.), 135
Tiktopulo, E. I. (see also Privalov, P. L.), 203
Tischenko, V. M. (see also Privalov, P. L.), 203
Tn10 tetracycline resistance element and generation of inversions and deletions of the *Salmonella* chromosome, 89
Tn*1701*, ampicillin resistance transposon, in plasmid NTP1, location of promoter sites on the plasmid, 397
Tobacco mosaic virus (see also Virus), 461, 487
Transcript, primary, of ribosomal RNA genes in *Saccharomyces cerevisiae* is the 37 S precursor to ribosomal RNA, 297
Transcription, *in vitro*, specifically repressed by the Cro repressor of bacteriophage lambda, 177
— initiation *in vitro* is inhibited by lipiarmycin, 55
— map of the DNA of *Bacillus subtilis* phage ϕ 29, 411
Transfer RNA, cloning of the yeast tRNA genes in bacteriophage lambda, 285
Traut, R. R. (see also Kenny, J. W.), 243
Trypsinogen, bovine, transition to a trypsin-like state upon strong ligand binding. The binding of the pancreatic trypsin inhibitor and of isoleucine-valine and of sequentially related peptides to trypsinogen and to *p*-guanidinobenzoate-trypsinogen, 357
Tyrosine transfer RNA, yeast, in bacteriophage lambda, cloning of genes, 285

Uteroglobin, characterization of two new crystal forms, 237

Valine and isoleucine biosynthesis regulation in *Salmonella typhimurium:* the effect of *hisU* on repression control, 229
Venkov, P. V. (see also Nikolaev, N.), 297
Vinuela, E. (see also Sogo, J. M.), 411
Virus (see also Bacteriophage fd), 163
—, tobacco mosaic, mechanism of self-assembly of protein: characterization of the metastable polymerization nucleus and the initial stages of helix formation, 487
— tobacco mosaic, mechanism of self-assembly of protein: nucleation-controlled kinetics of polymerization, 461

Wang, B-C. (see also Yoo, C. S.), 241
Waters, R., Repair of DNA in replicated and unreplicated portions of the human genome, 117
Weber, E. (see also Steigemann, W.), 309
Whisker/collar complex, role in bacteriophage T4D tail fiber attachment, 1
Whiskers, role in the attachment of tail fibers in bacteriophage T4 assembly, 15
Williams, L. S. (see also Davidson, J. P.), 229
Wood, W. B. & Conley, M. P., Attachment of tail fibers in bacteriophage T4 assembly: role of the phage whiskers, 15

Yagi, N. (see also Maeda, Y.), 191
Yamada, Y. (see also Calame, K. L.), 397
Yeast cytochrome *c* peroxidase, a method for the preparation of heavy-atom derivatives, 225

Yeast tyrosine tRNA genes in bacteriophage lambda, cloning, 285
YONETANI, T. (see also ERIKSSON, B.), 225
YOO, C. S., WANG, B-C., SAX, M. & BRESLOW, E., Crystals of a bovine neurophysin II-dipeptide amide complex, 241